

Message

From: [Nonresponsive based on revised scope]@tetrattech.com]
Sent: 3/18/2021 11:37:14 PM
To: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: Re: Emailing: 13-2 - 13-3 Analytical

Confirmed...

Sent from my Verizon, Samsung Galaxy smartphone
[Get Outlook for Android](#)

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Thursday, March 18, 2021 5:36:32 PM
To: [Nonresponsive based on revised scope]@tetrattech.com>
Subject: Fwd: Emailing: 13-2 - 13-3 Analytical

[Nonresponsive based on revised scope]

Not sure if you received this. Yesterday's segment map shows 13-2 as pending, but I think it should be "passed". I would like ERRS to move this segment tomorrow if possible. Please confirm

Thank you
Chris

Begin forwarded message:

From: [Nonresponsive based on revised scope]@erllc.com>
Date: March 16, 2021 at 11:52:26 AM EDT
To: "Wagner, Christine" <Wagner.Christine@epa.gov>
Cc: [Nonresponsive based on revised scope]@tetrattech.com>
Subject: Emailing: 13-2 - 13-3 Analytical

Your message is ready to be sent with the following file or link attachments:

13-2 - 13-3 Analytical

Note: To protect against computer viruses, e-mail programs may prevent sending or receiving certain types of file attachments. Check your e-mail security settings to determine how attachments are handled.

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.